






Air-Series

Pixel Pitch : 3.91-7.81mm

LED : SMD1921

Brightness: 4000-4500 Nits


Refresh Rate : 3840Hz

Protection Level : IP65




Classic black


- Brand new black cabinet
- High transparent rate
- Low wind resistance
- Integrated design




- Cabinet Size(W*H*D): 1000*500*88.5mm
- Cabinet Weight: 8.4Kg/ 18.52lb

Model No.	Air-Series3.91-7.81
Pixel Pitch	3.91mm
LED	SMD 1921
Pixel Density	32768pixel/m ²
Brightness	4000-4500 Nits
Color Temperature	6500-9500K
Scan	1/8
Cabinet Dimension(W*H*D)	1000mmX500mmX88.5mm/39.4"X19.7"X3.48"
Cabinet Resolution	256*64 Pixels
Cabinet Weight	8.4Kg/18.52lb
Cabinet Material	Die casting aluminum
Max Power Consumption	≤ 560W/m ²
Average Power Consumption	≤ 280W/m ²
Viewing Angle	H:160° V:140°
Refresh Rate	3840Hz
Gray Scale	14-16bit
IP Rating	IP65
Operating Humidity	10%-90%RH
Operating Temperature	-20°- +55°C
Max. Stacking	15pcs
Max. Hanging	15pcs
Curve(Optional)	-15°/-10°/-5°/0°/5°/10°/15°
Lifetime	>100,000 hrs
Storage Temp/Humidity	-40°C~+60°C;10%-60%RH










Integrated design of the back cover, replacement and maintenance, efficient and fast




All black classic design
Thin and light cabinet
56% transparency
High contrast
Water proofing property is strong

- High transparent rate
- Low wind resistance



- Ultra-thin module
- Large viewing Angle
- High transparency




Support 90° assembling





Support arc splicing, $\pm 15^\circ$, $5^\circ/\text{pcs}$



THANKS
